

Welcome to STN International! Enter x:x

LOGINID: ssspta16191xw

PASSWORD :

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 Jun 03 New e-mail delivery for search results now available  
NEWS 4 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN  
NEWS 5 Aug 19 Aquatic Toxicity Information Retrieval (AQUIRE)  
now available on STN  
NEWS 6 Aug 26 Sequence searching in REGISTRY enhanced  
NEWS 7 Sep 03 JAPIO has been reloaded and enhanced  
NEWS 8 Sep 16 Experimental properties added to the REGISTRY file  
NEWS 9 Sep 16 CA Section Thesaurus available in CAPLUS and CA  
NEWS 10 Oct 01 CASREACT Enriched with Reactions from 1907 to 1985  
NEWS 11 Oct 24 BEILSTEIN adds new search fields  
NEWS 12 Oct 24 Nutraceuticals International (NUTRACEUT) now available on  
STN  
NEWS 13 Nov 18 DKILIT has been renamed APOLLIT  
NEWS 14 Nov 25 More calculated properties added to REGISTRY  
NEWS 15 Dec 04 CSA files on STN  
NEWS 16 Dec 17 PCTFULL now covers WP/PCT Applications from 1978 to date  
NEWS 17 Dec 17 TOXCENTER enhanced with additional content  
NEWS 18 Dec 17 Adis Clinical Trials Insight now available on STN  
NEWS 19 Jan 29 Simultaneous left and right truncation added to COMPENDEX,  
ENERGY, INSPEC  
NEWS 20 Feb 13 CANCERLIT is no longer being updated  
NEWS 21 Feb 24 METADEX enhancements  
NEWS 22 Feb 24 PCTGEN now available on STN  
NEWS 23 Feb 24 TEMA now available on STN  
NEWS 24 Feb 26 NTIS now allows simultaneous left and right truncation  
NEWS 25 Feb 26 PCTFULL now contains images  
NEWS 26 Mar 04 SDI PACKAGE for monthly delivery of multifile SDI results  
NEWS 27 Mar 20 EVENTLINE will be removed from STN  
NEWS 28 Mar 24 PATDPAFULL now available on STN  
NEWS 29 Mar 24 Additional information for trade-named substances without  
structures available in REGISTRY  
NEWS 30 Apr 11 Display formats in DGENE enhanced  
NEWS 31 Apr 14 MEDLINE Reload  
NEWS 32 Apr 17 Polymer searching in REGISTRY enhanced  
NEWS 33 Jun 13 Indexing from 1947 to 1956 added to records in CA/CAPLUS  
NEWS 34 Apr 21 New current-awareness alert (SDI) frequency in  
WPIDS/WPINDEX/WPIX  
NEWS 35 Apr 28 RDISCLOSURE now available on STN  
NEWS 36 May 05 Pharmacokinetic information and systematic chemical names  
added to PHAR  
NEWS 37 May 15 MEDLINE file segment of TOXCENTER reloaded  
NEWS 38 May 15 Supporter information for ENCOMPPAT and ENCOMPLIT updated  
NEWS 39 May 16 CHEMREACT will be removed from STN  
NEWS 40 May 19 Simultaneous left and right truncation added to WSCA  
NEWS 41 May 19 RAPRA enhanced with new search field, simultaneous left and

right-truncation  
NEWS 42 Jun 06 Simultaneous left and right truncation added to CBNB  
NEWS 43 Jun 06 PASCAL enhanced with additional data

NEWS EXPRESS	April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP), AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
NEWS HOURS	STN Operating Hours. Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:55:03 ON 17 JUN 2003

=> fil caplus biosis embase medline  
 COST IN U.S. DOLLARS SINCE FILE TOTAL  
 ENTRY SESSION  
 FULL ESTIMATED COST 0.21 0.21

FILE 'CAPLUS' ENTERED AT 09:55:12 ON 17 JUN 2003  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 09:55:12 ON 17 JUN 2003  
COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS, INC. (B)

FILE 'EMBASE' ENTERED AT 09:55:12 ON 17 JUN 2003  
COPYRIGHT (C) 2003 Elsevier Science B.V. All rights reserved

FILE 'MEDLINE' ENTERED AT 08:55:13 ON 17 JUN 2003

=> s deer velvet

```
=> dup rem l1
PROCESSING COMPLETED FOR L1
L2          13 DUP REM L1 (9 DUPLICATES REMOVED)
```

=> d ihib abs

L2 ANSWER 1 OF 13 CAPLUS COPYRIGHT 2003 ACS  
ACCESSION NUMBER: 2002:736406 CAPLUS  
DOCUMENT NUMBER: 137:258524  
TITLE: Preparation of yeast transformed with cDNA encoding  
deer velvet antler for the  
production of efficient pharmacological ingredients  
INVENTOR(S): Bae, Hyun-Su

PATENT ASSIGNEE(S) : Purimed Co., Ltd., S. Korea  
SOURCE: PCT Int. Appl., 21 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002074958	A1	20020926	WO 2001-KR892	20010526
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 2003100066	A1	20030529	US 2002-240797	20021004
PRIORITY APPLN. INFO.:			KR 2001-5536	A 20010206
			WO 2001-KR892	W 20010526

AB This invention provides transgenic yeast which is transformed with cDNA of

deer velvet antler for efficient prodn. of pharmacol. ingredients. The invention also discloses methods of sep. mRNA from deer velvet antler having pharmaceutic effect, prep. cDNA from mRNA, constructing cDNA library, and prodn. of yeast strain contg. cDNA library. Therefore, this invention provides an efficient method for developing medicine.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d ibib 2

L2 ANSWER 2 OF 13 EMBASE COPYRIGHT 2003 ELSEVIER SCI. B.V.  
ACCESSION NUMBER: 2002296052 EMBASE  
TITLE: Op-Ed: To use or not to use deer velvet antler: Informed decision making is vital.  
AUTHOR: Abascal K.; Yarnell E.  
CORPORATE SOURCE: K. Abascal, Botanical Medicine Academy, Vashon, WA, United States  
SOURCE: Alternative and Complementary Therapies, (2002) 8/4 (205-206).  
ISSN: 1076-2809 CODEN: ACTHFZ  
COUNTRY: United States  
DOCUMENT TYPE: Journal; (Short Survey)  
FILE SEGMENT: 017 Public Health, Social Medicine and Epidemiology  
LANGUAGE: English

=> d ibib 3

L2 ANSWER 3 OF 13 EMBASE COPYRIGHT 2003 ELSEVIER SCI. B.V.  
ACCESSION NUMBER: 2002201959 EMBASE  
TITLE: Op ed: Deer velvet antler. Problems and botanical alternatives.

AUTHOR: Suttie J.M.  
CORPORATE SOURCE: Dr. J.M. Suttie, AgResearch Ltd., Mosgiel, New Zealand  
SOURCE: Alternative and Complementary Therapies, (2002) 8/3  
(136-140).  
Refs: 35  
ISSN: 1076-2809 CODEN: ACTHFZ  
COUNTRY: United States  
DOCUMENT TYPE: Journal; General Review  
FILE SEGMENT: 030 Pharmacology  
037 Drug Literature Index  
052 Toxicology  
LANGUAGE: English  
SUMMARY LANGUAGE: English

=> d ibib 4

L2 ANSWER 4 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.  
ACCESSION NUMBER: 2002:591105 BIOSIS  
DOCUMENT NUMBER: PREV200200591105  
TITLE: Proceedings of the Waikato Clinical School Research Seminar, September 20, 2001.  
AUTHOR(S): Anonymous  
SOURCE: New Zealand Medical Journal, (September 13, 2002) Vol. 115,  
No. 1161 Cited October 15, 2002, pp. No Pagination.  
<http://www.nzma.org.nz/journal/115-1161/177/content.pdf>  
cited October 29, 2002 <http://www.nzma.org.nz/journal/>.  
online.  
Meeting Info.: Proceedings of the Waikato Clinical School Research Seminar September 20, 2001 Waikato Clinical School  
ISSN: 0028-8446.  
DOCUMENT TYPE: Conference  
LANGUAGE: English

=> d ibib 5

L2 ANSWER 5 OF 13 CAPLUS COPYRIGHT 2003 ACS DUPLICATE 1  
ACCESSION NUMBER: 2000:718989 CAPLUS  
DOCUMENT NUMBER: 134:96372  
TITLE: Toxicological evaluation of New Zealand deer velvet powder. Part I: acute and subchronic oral toxicity studies in rats  
AUTHOR(S): Zhang, H.; Wanwimolruk, S.; Coville, P. F.;  
Schofield, J. C.; Williams, G.; Haines, S. R.; Suttie, J. M.  
CORPORATE SOURCE: School of Pharmacy, Natural & Complementary Medicine Research, University of Otago, Dunedin, N. Z.  
SOURCE: Food and Chemical Toxicology (2000), 38(11), 985-990  
CODEN: FCTOD7; ISSN: 0278-6915  
PUBLISHER: Elsevier Science Ltd.  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE REFORMAT

=> d ibib 6

L2 ANSWER 6 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.DUPLICATE  
2  
ACCESSION NUMBER: 1999:122244 BIOSIS  
DOCUMENT NUMBER: PREV199900122244  
TITLE: Deer velvet antler: Some unanswered  
questions of toxicology.  
AUTHOR(S): Dalefield, R. R.; Oehme, F. W.  
CORPORATE SOURCE: Comparative Toxicology Laboratories, Kansas State Univ.,  
Manhattan, KS 66506-5606 USA  
SOURCE: Veterinary and Human Toxicology, (Feb., 1999) Vol. 41, No.  
1, pp. 39-41.  
ISSN: 0145-6296.  
DOCUMENT TYPE: Article  
LANGUAGE: English

=> d abs 6

L2 ANSWER 6 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.DUPLICATE  
2  
AB Deer velvet antler is marketed as a remedy for a wide  
range of disorders. However, there is a lack of information in the  
scientific literature to support these claims, and there is also a lack  
of  
information on potential toxicity. Areas of potential concern include  
drug  
residues, possible deleterious androgenic effects on fetuses and neonates  
and allergic reactions.

=> d 7 ibib abs

L2 ANSWER 7 OF 13 CAPLUS COPYRIGHT 2003 ACS  
ACCESSION NUMBER: 1997:746656 CAPLUS  
DOCUMENT NUMBER: 127:336627  
TITLE: Method of preparing deer velvet  
antlers for making rantonin and pantocrin  
INVENTOR(S): Novokhatskij, Aleksandr S.; Kondratev, Vitalij S.;  
Ryzhkova, Galina I.  
PATENT ASSIGNEE(S): Gosudarstvennyj Institut Krovezamenitelej I  
Meditinskikh Preparatov, Russia  
SOURCE: Russ. From: Izobreteniya 1997, (18), 66.  
CODEN: RUXXE7  
DOCUMENT TYPE: Patent  
LANGUAGE: Russian  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
RU 2082407	C1	19970627	RU 1994-23826	19940630
PRIORITY APPLN. INFO.:			RU 1994-23826	19940630

AB Title only translated.

=> d 8 ibib abs

L2 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2003 ACS  
ACCESSION NUMBER: 1998:162085 CAPLUS  
DOCUMENT NUMBER: 128:286247  
TITLE: Aspects of the standardization of the drug pantocrin.  
1. Evaluation of the hypotensive action of individual  
components  
AUTHOR(S): Vereshchagin, A. L.; Pogodaeva, N. N.; Gorshkov, A.  
G.; Semenov, A. A.  
CORPORATE SOURCE: Limnolog. Inst., SO RAN, Irkutsk, Russia  
SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1997), 31(11),  
53-56  
CODEN: KHFZAN; ISSN: 0023-1134  
PUBLISHER: Izdatel'stvo Folium  
DOCUMENT TYPE: Journal  
LANGUAGE: Russian  
AB Pantocrin is an antihypertensive agent prep'd. from the velvet antlers of deer. A series of extns. of various components of the pharmaceutical natural product showed that the antihypertensive activity resides in fraction IIg.

=> d 9 ibib abs

L2 ANSWER 9 OF 13 CAPLUS COPYRIGHT 2003 ACS DUPLICATE 3  
ACCESSION NUMBER: 1995:266287 CAPLUS  
DOCUMENT NUMBER: 122:24573  
TITLE: Effects of insulin-like growth factor-I (IGF-I) and IGF-II on the growth of antler cells in vitro  
AUTHOR(S): Sadighi, M.; Haines, S. R.; Skottner, A.; Harris, A.  
J.; Suttie, J. M.  
CORPORATE SOURCE: AgResearch, Invermay Agricultural Centre, Mosgiel,  
50034, N. Z.  
SOURCE: Journal of Endocrinology (1994), 143(3), 461-9  
CODEN: JOENAK; ISSN: 0022-0795  
PUBLISHER: Journal of Endocrinology  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
AB The effects of insulin-like growth factors -I and -II (IGF-I and -II) on the growth of undifferentiated (fibroblast zone) cells from the growing tip of red deer velvet antlers and from cells 1.5 cm distal to the growing tip (cartilage zone) were investigated in primary cell culture. The addn. of IGF-I or IGF-II to the medium of cultures preincubated in serum-free medium for 24 h increased the rate of [<sup>3</sup>H]thymidine uptake in a dose-dependent manner in both cell types, with maximal stimulation occurring when 1 nM-30 nM was added. The addn. of IGF-II to the incubation medium contg. IGF-I did not cause f further increase in [<sup>3</sup>H]thymidine uptake in either cell type over and above each growth factor alone, indicating that there were unlikely to be synergistic effects of IGF-II on the mitogenicity of IGF-I. Binding studies were carried out using 3 .times. 10<sup>5</sup> fibroblast zone cells and cartilage zone cells after they had been incubated in serum-free medium for 24 h. 125I-labeled IGF-I (10<sup>-9</sup> M) in a final vol. of 200 .mu.L was added to each culture and incubation carried out at 4.degree. for a further hour. 125I-labeled IGF-I bound specifically to both fibroblasts and cartilage zone cells; binding was displaced by both unlabeled IGF-I and by IGF-I antibody. These findings indicate that IGF-I and IGF-II are important mediators for antler growth in vitro and suggest that in view of correlations between IGF-I and antler growth, IGF is functionally

significant in controlling velvet antler growth in vivo.

=> d 10 ibib abs

L2 ANSWER 10 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.  
ACCESSION NUMBER: 1994:403041 BIOSIS  
DOCUMENT NUMBER: PREV199497416041  
TITLE: Study on the nutritive value of velvet antler by major producing districts.  
AUTHOR(S): Ahn, B. H.  
CORPORATE SOURCE: Dep. Dairy Sci., Coll. Agric., Gyeongsang Natl. Univ.  
South Korea  
SOURCE: Korean Journal of Animal Nutrition & Feedstuffs, (1994)  
Vol. 18, No. 3, pp. 173-178.  
ISSN: 1011-2294.  
DOCUMENT TYPE: Article  
LANGUAGE: Korean  
SUMMARY LANGUAGE: Korean; English  
AB This experiment was carried out to investigate the effects of velvet antler on performance and blood cholesterol concentration of rat and amino acid and mineral concentration of velvet antler. 0.3% of velvet antler of Sika, Formosan and Red deer was supplemented to basal diet, respectively. Crude protein of velvet antler ranged from 50.89 to 64.59% and that of Red deer was higher than that of Sika deer. Crude ash of velvet antler was 31.78-39.95% and that of Sika deer was higher than that of Red deer.  
Crude protein concentration in organic matter of velvet antler was 85-95%. Body weight gain, feed intake and feed efficiency were not influenced by the supplementation of velvet antler but blood cholesterol concentration of rat was significantly ( $P < 0.01$ ) decreased by the supplementation of velvet antler. However, no significant difference was found in the blood cholesterol concentration between kinds of velvet antler. Velvet antler contained more leucine, lysine, arginine, aspartic acid, glutamic acid, proline, glycine and alanine than other amino acids. Amino acid composition in velvet antler of Formosan deer was slightly higher than those of Sika and Red deer. Velvet antler contained higher Ca, P, Fe and Zn than other minerals, and mineral compositions in velvet antler of Sika deer were higher than those of Formosan and Red deer.

=> d 11 ibib abs

L2 ANSWER 11 OF 13 CAPLUS COPYRIGHT 2003 ACS DUPLICATE 4  
ACCESSION NUMBER: 1995:236744 CAPLUS  
DOCUMENT NUMBER: 122:1695  
TITLE: Prostaglandins from sika deer velvet antlers  
AUTHOR(S): Isai, S. V.; Ivankina, N. F.; Kafanova, T. V.; Yelyakov, G. B.  
CORPORATE SOURCE: Tikhookean. Inst. Bioorg. Khim., Vladivostok, Russia  
SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1994), 28(7), 60-3  
CODEN: KHFZAN; ISSN: 0023-1134  
PUBLISHER: Izdatel'stvo Folium  
DOCUMENT TYPE: Journal

LANGUAGE: Russian  
AB Sika deer velvet antlers contained prostaglandins A,  
E, and F, mainly PGF1.alpha. and PGF2.alpha.. This may explain some of  
the pharmacol. properties of deer antler velvet.

=> d 12 ibib abs

L2 ANSWER 12 OF 13 CAPLUS COPYRIGHT 2003 ACS  
ACCESSION NUMBER: 1978:126250 CAPLUS  
DOCUMENT NUMBER: 88:126250  
TITLE: Pharmacologically effective components of antler  
(*Cervus nippōn taiōuanus*). IV. Detection of  
prostaglandins of antler velvet layer  
AUTHOR(S): Kim, Young Eun; Lee, Seung Ki; Lee, Myoung Hee  
CORPORATE SOURCE: Coll. Pharm., Seoul Natl. Univ., Seoul, S. Korea  
SOURCE: Han'guk Saenghwa Hakhoechi (1977), 10(1), 1-12  
CODEN: KBCJAK; ISSN: 0368-4881  
DOCUMENT TYPE: Journal  
LANGUAGE: Korean  
AB Fresh antlers were cut, frozen and mech. sepd. into spongy bone layer and  
velvet layer. The prostaglandin-like components were extd. from the  
antler velvet layer. The prostaglandins detected were PGE2 [363-24-6],  
15-epi-PGE1 [20897-91-0], PGF1.alpha. [745-62-0], PGF1.beta.  
[10164-73-5]. The petroleum ether fraction contained mostly the PGE  
series and the Et2O fraction contained the PGF series. One major  
prostaglandin-like component of antler velvet layer was the main compd.  
in  
the petroleum ether ext. The structure of this compd. is still unknown  
but the gas liq. chromatog. data suggest that it is a hydroxy fatty acid.

=> d 13 ibib abs

L2 ANSWER 13 OF 13 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.  
ACCESSION NUMBER: 1978:20747 BIOSIS  
DOCUMENT NUMBER: BR14:20747  
TITLE: STUDIES ON THE EFFECTS OF DEER VELVET  
ON GROWTH OF ANIMALS PART 2 EFFECTS OF VELVET ON THE  
GROWTH  
OF INTERNAL ORGANS AND BLOOD PICTURE OF CHICKEN.  
AUTHOR(S): BAE D-S  
SOURCE: Han'guk Ch'eksan Hakhoechi, (1976 (RECD 1977)) 18 (5),  
342-348.  
CODEN: HGCHAG. ISSN: 0367-5807.  
FILE SEGMENT: BR; OLD  
LANGUAGE: Unavailable

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	36.73	36.94
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-3.91	-3.91

STN INTERNATIONAL LOGOFF AT 09:58:49 ON 17 JUN 2003